

1/2"DIA X 24" DBA AT SPECIFIED SPACING EACH SIDE OF COLUMN. ALIGN W/ HORIZONTAL WALL REINF.

STEEL COLUMN, AS SPEC'D

2 VERTICAL BARS EACH SIDE OF COLUMN TO MATCH VERTICAL WALL REINFORCEMENT

2 VERTICAL BARS EACH SIDE OF COLUMN TO MATCH VERTICAL WALL REINFORCEMENT

1/2"DIA X 24" DBA AT SPECIFIED SPACING EACH SIDE OF COLUMN. ALIGN W/ HORIZONTAL WALL REINF.

STEEL COLUMN, AS SPEC'D

ELEMENT ICF (6" SHOWN)

TERMINATE HORIZONTAL REINF. W/ 180° HOOK.

TERMINATE HORIZONTAL REINF. W/ 180° HOOK.

ELEMENT ICF (6" SHOWN)

ELEMENT ICF (6" SHOWN)

STEEL COLUMN, AS SPEC'D

2 VERTICAL BARS EACH SIDE OF COLUMN TO MATCH VERTICAL WALL REINFORCEMENT

1/2"DIA X 24" DBA AT SPECIFIED SPACING EACH SIDE OF COLUMN. ALIGN W/ HORIZONTAL WALL REINF.

STEEL COLUMN, AS SPEC'D

TERMINATE HORIZONTAL REINF. W/ 180° HOOK.

1/2"DIA X 24" DBA AT SPECIFIED SPACING EACH SIDE OF COLUMN. ALIGN W/ HORIZONTAL WALL REINF.

2 VERTICAL BARS EACH SIDE OF COLUMN TO MATCH VERTICAL WALL REINFORCEMENT

ELEMENT ICF (6" SHOWN)

TERMINATE HORIZONTAL REINF. W/ 180° HOOK.



©Copyright Logix Brands Ltd. (2024) All rights reserved. No part of the work contained herein as covered by this copyright may be reproduced or used in any form, or any means - graphic, electronic or mechanical, including without limitation photocopying.

By using these drawings, you agree to assume all risks associated therewith. See Logixbrands.com/Disclaimer-Drawings for a full copy of disclaimer.

Drawing:
5.16.2.3

Date:
Mar 03/23

Pg:
1/1

Title:
EMBEDDED STEEL COLUMN IN ELEMENT ICF